

Ascom
VOWIFI
System

The complete,
standards based voice
over wireless fidelity
communications
solution.

ascom



Ascom VoWiFi System

Ideal for healthcare environments, this reliable on-site communication system is a unique wireless solution that can be integrated with existing networks, increasing staff efficiency and productivity.

The Ascom VoWiFi system consists of market-specific WLAN handsets (supporting the IEEE 802.11a/b/g/n standards) as well as components for reliable alarm, messaging and voice communications. This professional grade communication solution may be integrated with IP-PBXs via a direct SIP interface or with TDM PBX's via Ascom VoIP Gateways. The Ascom VoWiFi system provides advanced digital telephony features such as:

- Call Hold
- Name and number call line ID
- Transfer with/without consultation
- Diversion with redirection ID
- Message waiting notification
- Call waiting notification
- 3 party conference

Handsets

We asked nurses and clinicians what they wanted from a communication tool, then used their feedback to design the Ascom Myco handset. Offering an IP54 rating, top display, barcode scanning and a rear camera, this hardened Android device is much more than a typical smartphone.

Rugged i62 handsets provide three programmable soft keys, a four-way navigation pad, hands-free speaker mode, inverted text option and one touch alarm button. Both handsets offer user profiles, extended battery life and remote programming.


Unite Integration Software

The Ascom Unite Messaging Suite provides select Ascom handsets with two-way messaging, user originated data and mobile alarms. The message is instantly displayed allowing quick and accurate response. All messaging activities are recorded in the Ascom Report Manager (optional) providing real-time activity logging for complete audit trail records and reporting.

T1 VoIP Gateway

The Ascom T1 VoIP Gateway enables seamless integration with a circuit-switched PBX or public-switched telephone network (PSTN) to provide high quality voice communication between Ascom handsets and any other telephone.

Containing two T1 or E1 interfaces, the VoIP Gateway supports QSIG, NI-2, 5ESS, DMS100 ISDN and E&M CAS protocols, in addition to performing handset registration and call routing to optimize channel usage. The Ascom T1 VoIP Gateway is designed for enterprise environments and contains no moving components. Gateways can be stacked to optimize the grade of service to the PBX, while maintaining a single browser-based management application.



For More Information

To learn how a custom Ascom solution can improve the efficiency of your business, visit www.ascom.us or call 877-71ASCOM.

Analog VoIP Gateway

The Analog VoIP Gateway enables seamless integration with a circuit-switched PBX or public-switched telephone network (PSTN), providing high quality voice communication between Ascom handsets and any other telephone.

Containing 8 analog, FXO interfaces, the Analog VoIP Gateway provides a cost effective interface for small to medium enterprise environments with highly advanced call features. The Analog VoIP Gateway is compact and designed for high availability with its embedded appliance architecture, no moving components, and powered by Asterisk Business Edition software.

It provides an intuitive web browser interface to allow central management to branch offices. Gateways can be stacked, providing additional analog port interfaces when necessary.

Portable Device Manager

The Ascom PDM is a software application that provides firmware updates via a USB cradle or over-the-air. The PDM allows users to utilize any Ascom handset to access their personal configuration settings. Handset replacement is facilitated by the central storage of configuration information.

WLAN Interoperability

The Ascom VoWiFi solution supports various enterprise WLAN systems following IEEE standards. For optimum quality and feature support, WLAN products need to be certified with the Ascom VoWiFi system. Please contact an Ascom Regional Channel Manager for a list of certified WLAN systems.



About Our Company

Ascom is a global solutions provider focused on healthcare Information and Communication Technology (ICT) and mobile workflow solutions. The vision of Ascom is to close digital information gaps allowing for the best possible decisions – anytime and anywhere. Ascom’s mission is to provide mission-critical, real-time solutions for highly mobile, ad hoc, and time-sensitive environments. Ascom uses its unique product and solutions portfolio and software architecture capabilities to devise integration and mobilization solutions that provide truly smooth, complete and efficient workflows for healthcare as well as for industry, security and retail sectors. Ascom is headquartered in Baar, Switzerland, has subsidiaries in 15 countries and employs around 1,300 people worldwide. Ascom registered shares (ASCN) are listed on the SIX Swiss Exchange in Zurich.

Ascom
300 Perimeter Park Drive
Morrisville, NC 27560
www.ascom.us | [@AscomNA](https://twitter.com/AscomNA)

ascom